

Hospital Account Metrics

Measure	Hospital-Level Rates	Patient Level Drill Down	Provider Level Rates	Averages-System, Delivery Volume and/or Region ¹	By Payer and Race-Ethnicity	Benchmarks-OMDC	Averages or Benchmarks -OMDC, WSHA-MDC, and California Statewide ²
3rd/4th Laceration-Vaginal Delivery w/ Instrument (AHRQ PSI 18)	✓	✓	✓ ³	✓	✓	✓	✓
3rd/4th Laceration-Vaginal Delivery w/o Instrument (AHRQ PSI 19)	✓	✓		✓	✓	✓	✓
Antenatal Steroids (PC-03, LF)	✓	✓		✓	✓	✓	✓
Birth Trauma - Injury to Neonate (AHRQ PSI 17)	✓	✓		✓	✓	✓	✓
C-section rate for inductions of labor in Nulliparous women (RM)	✓	✓		✓	✓	✓	✓
C-section rate for inductions of labor in Multiparous women (RM)	✓	✓		✓	✓	✓	✓
Cesarean Section—Nulliparous, Term, Singleton, Vertex (PC-02, LF, RM)	✓	✓	✓	✓	✓	✓	✓
Cesarean Section—Nulliparous, Term, Singleton, Vertex, Age and BMI Adj.	✓					✓	✓
Cesarean Section—Nulliparous, Term, Singleton, Vertex, Age Adj.	✓						✓
Cesarean Rate—Overall	✓	✓	✓	✓	✓	✓	✓
Cesarean Section-Primary (Standard)	✓	✓	✓	✓	✓	✓	✓
Cesarean Section—Primary (AHRQ IQI 33, RM)	✓	✓	✓	✓	✓	✓	✓
Cesarean Section: SMFM Low-Risk	✓	✓		✓	✓		✓
Cesarean Section—Term, Singleton, Vertex (AHRQ IQI 21)	✓	✓		✓	✓	✓	✓
Cesareans after Labor Induction	✓	✓	✓	✓	✓	✓	✓
Chorioamnionitis	✓	✓		✓	✓	✓	✓
DVT Prophylaxis in Women Undergoing C-Section (LF)	✓	✓		✓	✓	✓	✓
Elective Delivery <39 Weeks (PC-01, CMS, LF)	✓	✓	✓	✓	✓	✓	✓
Episiotomy Rate (NQF, LF)	✓	✓	✓	✓	✓	✓	✓
Exclusive Breastfeeding (PC-05)	✓	✓		✓	✓	✓	✓
Hemorrhage: Total Transfusions (RM)	✓	✓		✓	✓	✓	✓
Hemorrhage: Massive Transfusions (RM)	✓	✓		✓	✓	✓	✓
Hemorrhage: Maternal Transfusion Rate	✓	✓		✓	✓	✓	✓
Hemorrhage Risk Assessment on	✓	✓		✓	✓	✓	✓

Measure	Hospital-Level Rates	Patient Level Drill Down	Provider Level Rates	Averages-System, Delivery Volume and/or Region ¹	By Payer and Race-Ethnicity	Benchmarks-OMDC	Averages or Benchmarks -OMDC, WSHA-MDC, and California Statewide ²
Admission							
ICU Days for Maternal Cases	✓	✓		✓	✓	✓	✓
Induction Rate	✓	✓	✓	✓	✓	✓	✓
Maternal ICU: Admission rate among deliveries	✓	✓		✓	✓	✓	✓
Newborn Bilirubin Screening Prior to Discharge (LF)	✓	✓		✓	✓	✓	✓
Newborn Bloodstream Infections (PC-04)	✓	✓		✓	✓	✓	✓
Operative Vaginal Delivery (RM)	✓	✓	✓	✓	✓	✓	✓
Preeclampsia: ICU Days	✓	✓		✓	✓	✓	✓
Preeclampsia: ICU Admissions	✓	✓		✓	✓	✓	✓
Severe Maternal Morbidity	✓	✓		✓	✓	✓	✓
Severe Maternal Morbidity among Hemorrhage Cases	✓	✓		✓	✓	✓	✓
Severe Maternal Morbidity among Pre-Eclampsia	✓	✓		✓	✓	✓	✓
Term Shoulder Dystocia with Newborn Injury	✓	✓		✓	✓	✓	✓
Timely Treatment for Severe HTN	✓	✓		✓	✓	✓	✓
Unexpected Newborn Complications (NQF, RM)	✓	✓		✓	✓	✓	✓
VLBW (<1500g) NOT delivered at a Level III NICU (NQF)	✓	✓		✓	✓	✓	✓
Vaginal Birth After Cesarean (VBAC), (IQI 22)	✓	✓		✓	✓	✓	✓
Vaginal Birth After Cesarean (VBAC), (AHRQ IQI 34)	✓	✓	✓ ⁴	✓	✓	✓	✓
VBAC Attempt	✓	✓		✓	✓	✓	✓
VBAC Success	✓	✓		✓	✓	✓	✓
Apgar Score of 0	✓	✓		✓	✓	✓	✓
ICD-10 Induction Coding Errors - Among All Births	✓	✓		✓	✓	✓	✓
ICU Admission Rate among SMM Cases	✓	✓		✓	✓	✓	✓
Missing / Inconsistent Birth Weight (among <2500 g)	✓	✓		✓	✓	✓	✓
Missing 5 Minute APGAR	✓	✓		✓	✓	✓	✓
Missing Birth Weight in Newborn Clinical Files	✓	✓		✓	✓	✓	✓
Missing Delivery BMI	✓	✓		✓	✓	✓	✓

Measure	Hospital-Level Rates	Patient Level Drill Down	Provider Level Rates	Averages-System, Delivery Volume and/or Region ¹	By Payer and Race-Ethnicity	Benchmarks-OMDC	Averages or Benchmarks -OMDC, WSHA-MDC, and California Statewide ²
Missing Delivery Provider	✓	✓		✓	✓	✓	✓
Missing GA in Maternal Clinical Files	✓	✓		✓	✓	✓	✓
Missing Liveborn Infant Diagnosis Code	✓	✓		✓	✓	✓	✓
Missing Parity in Maternal Clinical Files	✓	✓		✓	✓	✓	✓
Missing / Inconsistent GA (< 37weeks)	✓	✓		✓	✓	✓	✓
Mothers Not Identified as JC Deliveries	✓	✓		✓	✓	✓	✓
Transfusions: Missing / Inconsistent Coding	✓	✓		✓	✓	✓	✓
Unlinked Mothers	✓	✓		✓	✓	✓	✓
Multiple Statistics, including the below:	✓	✓		✓	✓	✓	✓
5 Minute APGAR <7	✓	✓		✓	✓	✓	✓
Maternal length of stay postpartum (> 4 days for vaginal, >6 days for CS)	✓	✓		✓	✓	✓	✓

Notes:

- 1: System-level and regional metrics included as part of initial implementation; volume-based metrics and regional metrics to be implemented in future as requested by Q Corp
- 2: Contingent on data source availability and relevant approvals; e.g. numerous metrics cannot be calculated from CA Statewide data; WSHA approval required for WSHA-MDC metrics.
- 3: Physician Level Rate encompasses all 3rd/4th degree lacerations; not divided out by whether instrument delivery or not
- 4: Physician Level Rate is only for AHRQ IQI 34-VBAC All (Not VBAC-Uncomplicated)