2014 Measure List for Q Corp January 21, 2014



NQF	Measure	Measure name	Deviations from Endorsed Measure
ID	Steward		
Quality	Measures		
0031	NCQA	Breast Cancer Screening	Custom age bands.
		Age 50-69	
		Age 40-49	
		Age 40-69	
		Age 70-84	
		Age 85+	
0032	NCQA	Cervical Cancer Screening (Age 21-64)	
0033	NCQA	Chlamydia screening (Age 16-24)	
0055	NCQA	Diabetes: Eye Exam (Age 18-75)	Require two face-to-face encounters in an
0063	NCQA	Diabetes: Lipid profile (LDL-C Screening) (Age 18-75)	acute inpatient or ED setting to identify
			patients with diabetes, instead of one face-to-
0057	NCQA	Diabetes: Hemoglobin A1c testing (Age 18-75)	face encounter as listed in the HEDIS
0062	NCQA	Diabetes: Nephropathy (Age 18-75)	specification.
0075	NCQA	Cholesterol Management for Patients with	
		Cardiovascular Conditions (Age 18-75)	
0036	NCQA	Appropriate Medications for People with Asthma (Age	
		5-64)	
		Age 5-64	
		Age 5-18	
		Age 19-64	
0105	NCQA	Antidepression Medication Management (Age 18+)	
	OHA (CCO)	Alcohol Misuse: Screening, Brief Intervention,	Not an endorsed measure. Developed by the
		Referral for Treatment (SBIRT) (Age 18+)	Oregon Health Authority for Coordinated
		, , , , , -	Care Organization measurement. New
			measure for 2014.
	See Note	Well-Child Visits in First 15 Months of Life (5+)	Not an endorsed measure. Modification of
			NQF 1392 that is provided for physician QI
			efforts. Well-child visit does not have to be
			with PCP; visit will be counted regardless of
			nrovider type
1392	NCQA	Well-Child Visits in First 15 Months of Life (6+)	Well-child visit does not have to be with PCP;
			visit will be counted regardless of provider
			type.
1516	NCQA	Well-Child Visits Ages 3-6 Years (% 3-6 year olds with a	
		well-child visit during measurement year)	visit will be counted regardless of provider
			type.
1448	NCQA	Developmental Screenings in the First 36 Months of	Deviates from specifications by ignoring
		Life	modifiers. New measure for 2014.
	NCQA/ HEDIS	Adolescent Well-Care Visits (Age 12 to 21)	Well-care visit does not have to be with PCP
			or OB-Gyn; visit will be counted regardless of
			provider type. New measure for 2014.
0108	NCQA	Follow-up care for children prescribed ADHD	New measure for 2014.
		medications (Age 6-12)	
	ce Use Measure		
0052	NCQA	Appropriate Low Back Pain Imaging (Age 18-50)	
	PSHA	Generic Prescription Fills - Statins (Age 18+)	Not an endorsed measure. Developed by the
			Puget Sound Health Alliance.

NQF	Measure	Measure name	Deviations from Endorsed Measure
ID	Steward		
	PSHA	Generic Prescription Fills - SSRIs, SNRIs, & DNRIs (Age	Not an endorsed measure. Developed by the
	DCILA	18+)	Puget Sound Health Alliance.
	PSHA	Generic Prescription Fills - Hypertensives (Age 18+)	Not an endorsed measure. Developed by the
			Puget Sound Health Alliance. New Measure
	NCOA/UEDIC	Anahadatana aana Outostiant and ED visita nan	for 2014.
	NCQA/ HEDIS	Ambulatory care: Outpatient and ED visits per	Report separately for age 0-17 and age 18+.
-	NCOA/UEDIC	member month	New measure for 2014.
	NCQA/ HEDIS	30 Day Plan All Cause Readmission (Age 18+)	Removed requirement for continuous
			enrollment prior to index enrollment. Include
			Medicaid enrollment. Report both a risk
			adjusted rate (commercial and Medicare) and
			a non-risk adjusted rate (all payers).
	Medi-Cal	Potentially Avoidable ED Visits (CA Methodology, age	
		18+)	
	Medi-Cal	Rate per 1000 of Potentially Avoidable ED Visits (CA	
		Methodology, age 18+)	
	AHRQ	PQI 92: Chronic Composite - ambulatory-sensitive	
		hospital admissions (Age 18+)	
	AHRQ	PQI 91: Acute Composite - ambulatory-sensitive	
		hospital admissions (Age 18+)	
	AHRQ	PQI 90: Overall Composite - ambulatory-sensitive	
		hospital admissions (Age 18+)	
	NYU Center	Potentially Avoidable ED Visits (NYU Methodology)	
	for Health and	(Age 18+)	
	Public Service		
	Research		
0002	NCQA	Appropriate Testing for Children with Pharyngitis: %	
		of children 2-18 years of age who were diagnosed	
		with pharyngitis, dispensed an antibiotic and received	
		a group A streptococcus (strep) test for the episode	
	Medi-Cal	Potentially Avoidable ED Visits (CA Methodology, age	
		1-17)	
	Medi-Cal	Rate per 1000 of Potentially Avoidable ED Visits (CA	
		Methodology, age 1-17)	

NQF	Measure	Measure name	Deviations from Endorsed Measure				
ID	Steward						
Maternity Care Measure							
0471	Joint	PC-2 C-Section Rate (First birth nulliparous)	New measure for 2014.				
	Commission						
0716	CA Maternal	Healthy Term Newborns	New measure for 2014.				
	Quality Care						
	Collaborative						
Cost of Care Measures							
1604	Health	Health Partners Total Cost of Care Index	New measure for 2014.				
	Partners						
1598	Health	Health Partners Total Resource Use Index	New measure for 2014.				
	Partners						