

2017 Q Corp Measures

Q Corp provides the following quality and utilization measures to primary care medical groups and practices in Oregon via the secure online Reporting Portal. Some of the measure results (as noted below) are reported publicly on Q Corp's [Compare Your Care](#) website.

Measure	Publicly Reported
30 Day All-Cause Readmissions, Unadjusted (age 18+)	
Adolescent Well-Care Visits (age 12-21)	✓
Alcohol Misuse: Screening, Brief Intervention, Referral for Treatment (SBIRT) (age 12 -17, age 12+, age 18+)	
Ambulatory care: Avoidable Emergency Department Visits, % of Total Visits (age 1-17, age 18+)	
Ambulatory care: Avoidable Emergency Department Visits, Rate per 1000 Patients (age 1-17, age 18+)	
Ambulatory care: Emergency Department Visits (age 0-17, age 18+)	
Ambulatory care: Outpatient Visits (age 0-17, age 18+)	
Annual Monitoring for Patients on Persistent Medications (age 18+)	
Appropriate Testing for Children with Pharyngitis (age 2-18)	✓
Appropriate Testing for Children With Upper Respiratory Infection (age 3 months to 18 years)	✓
Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	✓
Breast Cancer Screening (age 50-74)	✓
Cervical Cancer Screening (age 21-64)	✓
Chlamydia Screening (age 16-20, age 21-24, age 16-24)	✓
Comprehensive Diabetes Care, Eye Exam Performed (age 18-75)	
Comprehensive Diabetes Care , HbA1c Testing (age 18-75)	✓
Comprehensive Diabetes Care, Medical Attention for Nephrology (age 18-75)	
Developmental Screenings in the First 36 Months of Life (age 1, 2 and 3)	✓
Effective Contraceptive Use (age 15-17, age 18-50)	
Follow-up After Emergency Department Visit for Mental Illness (age 6+)	

Measure	Publicly Reported
Generic Prescription Fills: Antidepressants (age 18+)	✓
Generic Prescriptions Fills: Antihyperlipidemics (age 18+)	✓
Generic Prescription Fills: Antihypertensives (age 18+)	✓
Hospital Inpatient Admission Rates for Ambulatory Sensitive Conditions (PQI Measures)	
Medication Management for People with Asthma, Child (age 5-18)	✓
Statin Therapy for Patients with Cardiovascular Disease (males age 21-75, females age 40-75)	
Statin Therapy for Patients with Diabetes (age 40-75)	
Use of Imaging Studies for Low Back Pain (age 18-50)	✓
Well-Child Visits 0-15 Months, Five or More	
Well-Child Visits 0-15 Months, Six or More	✓
Well-Child Visits 3-6 Years	✓

Note: Q Corp also publically reports the Antidepressant Medication Management measure on a statewide basis, but does not report the measure to medical groups or providers due to small denominator sizes.